


#1 IN THE BALTICS



***BLESTE SIA***

P O R T E Q U I P M E N T



# OUR MISSION

Execute high-quality product solutions for cargo industry

## ENTERPRISE PRINCIPLES



Secure high quality standards



Continued investment in production



Customised client relations



Competitive pricing



BLESTE SIA - Full Company View

### SUMMARY

Report as of: 03.08.2022  
using Currency as EUR

### BLESTE SIA

Tradestyle(s):

ACTIVE

SINGLE LOCATION

Address:

Sloka 7122, LV-2011, Jurmala, LV

Phone:

+371 67 618 760

D-U-N-S:

63-124-2575

Registration Number:

40003243982

# D&B Rating | 1A2

### PAYDEX®

80

Low Risk (100)

High Risk (0)

Pays On Time

Risk Assessment

**Dun & Bradstreet Thinks...**

- Overall assessment of this company: STABLE CONDITION

### COMPANY PROFILE

#### Legal Form

Private Limited Company

#### Telephone


+371 67 619 811

#### Annual Sales

€ 3,143,718

#### Line of Business

Mfg construction machinery



# ROPE GRABS

## DUAL-SCOOP

- ✔ For bulk density of - 0.6 to 3.2 t / m<sup>3</sup>
- ✔ Grab volume: 1 - 40 m<sup>3</sup>
- ✔ The design of the scoops is customisable

## “ORANGE PEEL”

Best for handling stone quarry, pig iron, scrap metal, etc.  
Available in 3 versions:

- ✔ open
- ✔ semi-close
- ✔ closed

## SCISSOR

- ✔ Excellent stability and great performance
- ✔ Only high strength steel (in grab construction)
- ✔ Best solution for floating crane operation
- ✔ Volume - up to 40m<sup>3</sup>
- ✔ Handling materials - coal, bauxite, iron ores, minerals, etc.



# HYDRAULIC GRABS

## DUAL-SCOOP

Works in Hook operation mode, wireless remote control from crane operators' cabin.

## “ORANGE PEEL”

Made for all types of cargo handling machines with operating weight 20 - 150 tonnes.

## ELECTRO-HYDRAULIC & DIESEL-HYDRAULIC

Designed to handle bulk cargo with density 0.6 - 3.2 t/m<sup>3</sup>.





# RADIO GRABS

## DUAL-SCOOP

- ✔ For bulk density of - 0.6 to 3.2 t / m<sup>3</sup>
- ✔ Grab volume: 1 - 40 m<sup>3</sup>
- ✔ The design of the scoops is customisable

## “ORANGE PEEL”

Best for handling stone quarry, pig iron, scrap metal, etc.  
Available in 3 versions:

- ✔ open
- ✔ semi-close
- ✔ closed



# CONTAINER SPREADER

## MECHANICAL AUTOMATIC

Handling 20, 30, 40 and 45 feet containers.

The hold and release of a container is secured by transformation of the crane hoke movement to the rotational movement of locking devices.


## HEAVY-DUTY CONTAINER

We produce containers for harsh exploitation conditions. It is designed for storage and movement of such bulk cargo as: ore, rubble, pellet, wood chips, coal, etc.

The container is equipped to work with a turn-over grips.

As an option, a removable cover can be installed.





## ROLL TRAILERS

Are designed for general cargo transportation, weighing up to 180 tons on the territory of the terminal.

- ✓ advanced design
- ✓ heavy-duty chassis construction
- ✓ custom solutions for special cargo operations
- ✓ best matching with GRAVITI technology



# TURNOVER SPREADERS

Handle bulk cargo in open top containers loaded with:

- ✔ wood chips, piled density 0,7 t/m<sup>3</sup>
- ✔ wood granulate, piled density 0.8 t/m<sup>3</sup>



## CHARACTERISTICS:



- ✔ Container size 20 ft
- ✔ Lifting capacity 38 t
- ✔ Tare weight 15 t
- ✔ High performance
- ✔ Twistlock operation speed 1.5 sec
- ✔ Rotation 0-180 degrees 12 sec
- ✔ Hydraulic characteristics
- ✔ System running pressure – 230 Bar
- ✔ Pump flow rate – 60 l/min
- ✔ Electric
- ✔ Power supply – 18 kw
- ✔ Voltage – 400 VAC



# ECO HOPPER

- ✔ Volume - up to 150m<sup>3</sup>
- ✔ Specification and construction - according to customer's technical task
- ✔ Options
- ✔ Remote control
- ✔ Special sensors system for bunker filling control
- ✔ Dust control system
- ✔ Weighting and dosing system
- ✔ Automatic telescopic loading spouts
- ✔ Flex-Flap dust blocking system



# GRAVITI CONTAINERS



30 m<sup>3</sup> container

## 450 t/h

- Saving up to 25% of the cost of loading
- Dimensions of standard 20 foot container
- Universal standardised design



40 m<sup>3</sup> container

## 650 t/h

- Saving up to 35% of the cost of loading
- Increased height of standard 20 foot container
- Universal standardised design

**WE ARE DESIGNING  
AND PRODUCING:**

**FOR EXCAVATORS  
AND FRONT  
LOADERS**

- ✔ Automatic clamps for steel rolls with lifting capacity 15 and 20 tons
- ✔ Automatic grabs for steel slabs transportation with lifting capacity 36 tons
- ✔ Hook for transporting steel coils in a horizontal position
- ✔ Grabs for wire rod
- ✔ Various traverse (line, frame...)
  
- ✔ Construction and equipment of buckets is customisable
- ✔ Buckets volume: 1 - 8 m<sup>3</sup>


# PLANT



Two workshops, total area 3800 m<sup>2</sup> and crane lifting height of 17 m.



Steel cutting is on gas and plasma CNC machines.



For higher accuracy and quality assemblies are performed on special stands and jigs.

## OVER 5000 UNITS

of cargo handling equipment produced in 27 years.

## OVER 50 CLIENTS

throughout Europe, Baltics, CIS are regularly served.





# TRADE REFERENCES

## **Ventspils commercial port**

Major transition port for raw materials from the CIS countries to Europe and beyond.

## **Riga Commercial Port (RTO)**

1st largest port in Latvia.

## **Severstal**

Largest steel company in Eastern Europe.

## **GANZ DANUBIUS**

Hungarian shipbuilding holding which is the oldest shipbuilding company in Central Europe, 180 years of shipbuilding's experience.



# FACTORY CONTRACTORS



---

[www.3ds.com](http://www.3ds.com)



---

[www.ssab.com](http://www.ssab.com)



---

[www.parker.com](http://www.parker.com)



---

[www.certex.lv](http://www.certex.lv)



---

[www.michelinman.com](http://www.michelinman.com)



---

[www.new.siemens.com](http://www.new.siemens.com)



---

[www.camso.co](http://www.camso.co)



---

[www.skf.com](http://www.skf.com)



## **CONTACTS**

"BLESTE" SIA  
VAT ID - LV40003243982  
Address - "Sloka 7122", Jurmala, LV-2011, Latvia.

**WWW.BLESTE.LV**

## **ANATOLY KHRUSHCHOV**

**Director, Member of the board**

Ph. +371 29208365 / +371 67619811

E-mail: [bleste@bleste.lv](mailto:bleste@bleste.lv)

## **DINIS KHRUSHCHOV**

**Technical department**

Ph. +371 29235197 / +371 67619811

E-mail: [dh@bleste.lv](mailto:dh@bleste.lv)

